



Use of Externally Supplied Medications in UC Outpatient and Clinic Settings – **Interim Policy**

Responsible Officer:	Executive Vice President for UC Health
Responsible Office:	UC Health
Issuance Date:	11/30/2020
Effective Date:	11/30/2020
Last Review Date:	NEW / Interim Policy
Scope:	This policy applies to all hospital outpatient and clinic settings throughout the University of California system.

Contact:	John Grubbs
Title:	Chief Pharmacy Officer
Email:	jgrubbs@ucdavis.edu
Phone:	(916) 719-8557

TABLE OF CONTENTS

I. POLICY SUMMARY	1
II. DEFINITIONS	2
III. POLICY TEXT.....	2
IV. COMPLIANCE / RESPONSIBILITIES	3
V. PROCEDURES.....	3
VI. RELATED INFORMATION	3
VII. FREQUENTLY ASKED QUESTIONS	3
VIII. REVISION HISTORY	3

I. POLICY SUMMARY

The responsibility and accountability for purchasing, mixing, and administering injectable medications resides solely with University of California Health System (“UC Health”) pharmacists, and the physicians, nurses, and physician assistants who

administer the drugs. The legitimacy of original drug source and appropriateness of subsequent storage and handling must be assured by UC Health. Accordingly, UC Health will not administer any drug to a patient that UC Health does not purchase directly from either the manufacturer or an accredited wholesaler.

II. DEFINITIONS

Brown Bagging – A practice where medication procured from an external pharmacy is dispensed directly to a patient and brought by the patient to a UC Health hospital outpatient or clinic setting for administration.

DDA (Drug Distributor Accreditation) – Accreditation of facilities engaged in the act of wholesale drug distribution that demonstrate they meet specified standards for operation, licensure, and compliance to the satisfaction of the National Association of Boards of Pharmacy.

DSCSA (Drug Supply Chain Security Act) – A federal law enacted in 2013 to enhance the U.S. Food & Drug Administration’s (FDA) ability to protect consumers by improving detection and removal of potentially dangerous products from the pharmaceutical supply chain. The law requires hospital pharmacy chain of custody and end-to-end product traceability (“track and trace”) for medications from manufacturer to patient.

White Bagging – A practice where a patient-specific medication is procured from an external pharmacy (e.g., a national specialty pharmacy owned by or contracted with a patient’s health insurance plan) and delivered to a UC Health hospital outpatient or clinic setting for compounding and patient administration.

III. POLICY TEXT

Brown bagging can negatively impact the safety and effectiveness of a medication due to loss of control over drug provenance and purity, as well as conditions of storage. White bagging has been associated with errors including delivery delays, lost shipments, and dosage errors; waste (because when white bagged medication cannot be used by the intended recipient, for any reason, the provider is prohibited from using the medicine for another patient); and compromised patient safety. Both practices also result in increased risk and liability to the University’s clinical locations and prescribing clinicians. Accordingly:

1. Sterile and non-sterile medications dispensed, compounded and administered in a UC Health outpatient or clinic setting must be procured by UC, via an approved manufacturer or a DDA (formerly VAWD) accredited wholesaler in order to ensure quality, safety, and chain of custody of the medication, consistent with the DSCSA.
2. Brown bagging of injected and infused medications in the hospital outpatient or clinic setting at UC Health is prohibited, except for self-administered medications for patient education.

University of California – Policy on White Bagging and Brown Bagging
Use of Externally Supplied Medications in UC Outpatient and Clinic Settings

3. White bagging of injected and infused medications in the hospital outpatient or clinic setting is prohibited. If the patient’s insurance requires white bagging, UC will try to obtain insurance approval to for the UC pharmacy to procure, compound and dispense the medication to the patient.

IV. COMPLIANCE / RESPONSIBILITIES

The Chief Pharmacy Officer or equivalent at every UC Health clinical location shall be responsible for implementing this policy locally.

V. PROCEDURES

Not applicable.

VI. RELATED INFORMATION

U.S. Food & Drug Administration (FDA), [Drug Supply Chain Security Act \(DSCSA\)](#)

American Society of Hospital Pharmacists, [ASHP Statement on Pharmacist’s Responsibility for Distribution and Control of Drug Products](#)

American Society of Clinical Oncology, [“Brown Bagging” and “White Bagging” of Chemotherapy Drugs](#)

[Children’s Hospital Association, Does White Bagging Pose a Risk to Patient Safety?](#)

[Community Oncology Alliance, White & Brown Bagging Position Statement \(September 19, 2017\)](#)

VII. FREQUENTLY ASKED QUESTIONS

Not applicable

VIII. REVISION HISTORY

11/30/2020: New policy issuance date. This interim policy meets the Web Content Accessibility Guidelines (WCAG) 2.0.